
vallfirest vft safety



vft2 ventilated Helmet

Certified - Model: VF2 HELMET

Ergonomics and versatility with a high level of protection.







vft2 ventilated Helmet

Ergonomics and versatility with a high level of protection.

The **vft2 ventilated Helmet** was designed to meet the needs of units that intervene in wildland fires and rescue operations. Made with high-quality materials, it offers a high level of protection with a wrap-around design produced in a single PC/ABS part without added paint and a protective visor for more protection against liquids from aerial discharges with flame retardant.

Greater protection and resistance

A wrap design for better protection from side, front and rear impacts manufactured with one sole PC/ABS part, without any added paint.

More comfortable and breathable

Completely size adjustable with an adjustment wheel1. The breathable and fireproof cushioned leather pads form a totally ergonomic and comfortable harness.

Customization

A large variety of colors available, reflective strips with marking and the possibility of adding a shield.



| Standards | |
|--|---|
| EN 16471:2014 | Helmets for wildland firefighters. |
| EN 16473:2014 | Firefighter helmets, helmets for technical rescues. |
| EN 397:2012+A1:2012 (Excluding points 4.8, 5.1.4 and 7) (Optionally compliant with: p. 5.2.4 and 5.2.5). | Industrial safety helmets. |
| EN 443:2008 (Compliant with p. 4.12.1 and 4.12.3) | Helmets for structural fire fighting. |
| EN 12492:2012 (Compliant with p. 4.1.1, 4.1.2, 4.1.3, 4.1.4, 4.2.1 and 4.2.2) | Helmets for mountaineers. |

| Technical specifications | |
|--------------------------|--|
| Shell material | PC/ABS, (Polycarbonate/Acrylonitrile Butadiene Styrene). |
| Inner material | Breathable leather. |
| Available colors | Yellow, orange, red, green, blue, black, grey and white. |
| Sizes | Adjustable from 52-64 cm. |
| Dimensions | 27.7 x 24.5 x 16.4 cm. |
| Weight | 630g ± 20g |

1 Shell

A ventilation system on the top with a front visor and protective side.

Features

- Made of PC/ABS (Polycarbonate/Acrylonitrile Butadiene Styrene.
- The color is integrated with the injection of the material. No added paint.
- Available colors: yellow, orange, red, grey, black, white, blue and green.
- Reflective strip color: yellow and silver grey.
- Customization. Reflective strips with marking and the possibility of adding a shield.

2 Harness

Inner harness with 6 anchoring points to the shell. A multi-size system with an adjustment wheel in the back for adaptation to any head.

Features

- Size adjustment with an adjustment wheel from 54-62 cm.
- Ergonomic crown pad.
- Cushioned and breathable leather.
- Replaceable and washable protective textile.


3 Chin Strap

Made of fire-retardant fabric and leather. 3-point anchoring to the shell.

Five adjustment points:

- 1 Neck perimeter adjustment.
- 2 Ear height adjustment.
- 3 Height adjustment.
- 4 Sliding removable chin strap.
- **5** Adjustable chin guard.

Raised view



Reflective strip color





Colors
















Profile



4 Compatibility with accessories

The vft2 helmet is compatible with all types of accessories. Noise protection, nape guards, radio systems and video cameras can be included.

Front mount LED

- Front-guided handsfree lighting.
- Secured to the shell via 4 anchoring points.



Watertight protective goggles with and without ventilation

- Certified goggles with the helmet (vft Goggles).
- Protection against impacts, smoke, high temperatures, dust, wind and UV radiation.
- Inner anti-fog lens treatment and anti-scratch outer finish.



Chainsaw Kit

- Protective screen against any type of impact caused by the use of a chainsaw.
- Specific anchoring via the anchoring points.
- Noise protection.



Nape guard

- Nape guard made of 65% Lenzing® F.R. | 30% Nomex® | 5% Kevlar® for perfect insulation against radiation and high temperatures.
- Light.
- Breathable.
- Velcro® attachment.



LED flashlight

- Front-guided handsfree lighting.
- · Secured to the shell via universal anchoring.
- A variety of flashlights and adaptors available depending on the use



Short and long protective screen

- Protective screens of different sizes.
- Protects the eyes and face.



- * Warranty: 2 years for the helmet and accessories.
- * 10-year useful life limited exclusively by use and maintenance (no expiration from manufacturing).

